



# Bertolami Transmisiones

Acevedo 1069 (C1414DJU)  
 Bs. As. - Argentina  
 Tel. (54) 11-4773-1953 / 4428-2200  
 Fax. 4778-0315  
 email: bertrans@arnet.com.ar

# Correas

# Dentadas

Productos y Servicios para la Industria

## HTB<sup>®</sup> timing belts

Oil, heat and abrasion-resistant.

In synchronous belt power transmission, the RMA standard trapezoidal tooth timing belt design performs poorly in high torque applications and high power drives at lower speeds. To overcome this disadvantage the High Torque Belt (HTB) was developed using a more efficient tooth profile.

Among the advantages are:

- Higher torque transmission at low speeds
- High power transmission over a wide speed range
- Improved meshing to reduce tooth jump
- Higher resistance to tooth shear
- Less tooth wear due to friction

### 8mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width (mm)							
		-20		-30		-50		-85	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
320-8M	40	\$ 8.90	.08	\$ 12.60	.13	\$ 20.10	.23	\$ 33.40	.38
480-8M	60	12.78	.13	18.00	.20	28.70	.34	47.70	.57
536-8M	67	13.20	.14	18.80	.23	30.10	.38	50.20	.63
560-8M	70	13.80	.16	19.70	.23	31.50	.39	52.40	.66
600-8M	75	14.50	.17	20.80	.25	33.30	.42	55.50	.71
632-8M	79	14.70	.18	21.00	.27	33.80	.44	56.40	.75
640-8M	80	14.90	.18	21.30	.27	34.20	.45	57.10	.76
720-8M	90	16.00	.20	22.90	.30	37.00	.50	61.80	.85
800-8M	100	17.50	.22	25.20	.33	40.70	.56	68.10	.96
840-8M	105	18.05	.24	26.00	.35	42.10	.58	70.45	.99
880-8M	110	18.60	.25	26.80	.37	43.50	.61	72.80	1.05
920-8M	115	19.15	.26	27.60	.38	44.90	.64	75.15	1.10
960-8M	120	19.70	.27	28.40	.40	46.30	.67	77.50	1.14
1040-8M	130	20.80	.29	30.10	.43	49.00	.74	82.20	1.24
1120-8M	140	21.90	.31	31.70	.47	51.80	.78	86.90	1.33
1152-8M	144	23.10	.34	33.40	.50	54.60	.84	91.60	1.46
1200-8M	150	23.10	.34	33.40	.50	54.60	.84	91.60	1.42
1224-8M	153	23.65	.35	34.20	.51	56.00	.85	93.95	1.45
1280-8M	160	24.20	.36	35.00	.53	57.40	.89	96.30	1.51
1440-8M	180	26.40	.40	38.30	.60	62.90	1.01	105.70	1.71
1600-8M	200	28.70	.45	41.60	.67	68.50	1.11	115.20	1.90
1760-8M	220	30.90	.49	44.90	.73	74.00	1.23	124.50	2.07
1800-8M	225	31.60	.50	45.90	.75	75.90	1.25	127.70	2.12
2000-8M	250	34.60	.56	50.30	.83	83.30	1.39	140.20	2.36
2400-8M	300	40.50	.68	59.10	1.00	98.10	1.66	165.30	2.82
2600-8M	325	43.80	.74	63.60	1.08	106.70	1.80	178.40	3.06
2800-8M	350	46.50	.80	67.80	1.16	112.90	1.92	190.46	3.29
4400-8M	550	70.80	1.25	100.80	1.32	171.60	3.01	295.30	5.16

### 5mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)					
		-09		-15		-25	
		List Price	Approx. Weight (lbs)	List Price	Approx. Weight (lbs)	List Price	Approx. Weight (lbs)
245-5M	49	\$4.36	.022	\$6.62	.036	\$10.92	.060
265-5M	53	4.48	.024	6.80	.040	11.22	.066
300-5M	60	4.72	.026	7.21	.044	11.90	.073
325-5M	65	4.84	.029	7.35	.048	12.13	.080
345-5M	69	5.06	.031	7.69	.051	12.69	.085
350-5M	70	5.09	.031	7.75	.051	12.79	.085
370-5M	74	5.21	.032	7.96	.054	13.13	.090
375-5M	75	5.25	.033	8.02	.055	13.23	.091
400-5M	80	5.41	.035	8.28	.059	13.66	.098
420-5M	84	5.51	.036	8.37	.060	13.81	.100
425-5M	85	5.54	.037	8.54	.061	14.09	.101
450-5M	90	5.70	.039	8.81	.066	14.59	.110
465-5M	93	5.79	.041	8.88	.068	14.65	.113
500-5M	100	6.03	.044	9.36	.073	15.44	.121
535-5M	107	6.32	.050	9.89	.078	16.32	.130
540-5M	108	6.40	.050	10.00	.080	16.50	.133
565-5M	113	6.49	.051	10.15	.083	16.75	.138
580-5M	116	6.59	.051	10.30	.085	17.00	.141
600-5M	120	6.61	.053	10.42	.088	17.19	.146
610-5M	122	6.70	.054	10.47	.090	17.28	.149
635-5M	127	6.91	.056	10.94	.093	18.05	.154
675-5M	135	7.15	.059	11.31	.099	18.66	.164
705-5M	141	7.21	.061	11.41	.102	18.83	.169
710-5M	142	7.24	.062	11.47	.103	18.93	.171
725-5M	145	7.34	.064	11.62	.106	19.17	.176
740-5M	148	7.53	.065	12.03	.108	19.85	.179
800-5M	160	7.85	.070	12.55	.117	20.71	.194
835-5M	167	8.05	.073	12.86	.121	21.22	.201
890-5M	178	8.47	.078	13.60	.130	22.44	.216
925-5M	185	8.61	.081	13.76	.135	22.70	.224
940-5M	188	8.70	.082	13.90	.137	22.94	.227
950-5M	190	8.76	.083	14.13	.138	23.31	.229
980-5M	196	8.94	.085	14.29	.142	23.58	.236
1000-5M	200	9.09	.087	14.69	.145	24.24	.241
1050-5M	210	9.39	.092	15.21	.153	25.10	.254
1125-5M	225	9.84	.098	16.00	.164	26.40	.272
1240-5M	248	10.61	.109	16.90	.181	27.89	.301
1270-5M	254	10.79	.111	17.61	.185	29.06	.307
1420-5M	284	11.38	.124	18.66	.206	30.79	.342
1595-5M	319	-	-	20.80	.231	34.32	.384
1735-5M	347	-	-	21.21	.251	35.00	.417
1790-5M	358	-	-	22.93	.260	37.83	.432
1800-5M	360	-	-	23.00	.261	37.95	.433
2000-5M	400	-	-	24.94	.281	41.15	.467
2525-5M	505	-	-	30.39	.354	50.14	.588

### 14mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width (mm)									
		-40		-55		-85		-115		-170	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
966-14M	69	\$ 93.50	.84	\$125.10	1.15	\$182.10	1.78	\$242.10	2.40	\$350.20	3.55
1190-14M	85	104.80	1.02	138.20	1.42	202.10	2.20	269.60	2.98	390.20	4.39
1400-14M	100	114.00	1.20	151.00	1.67	221.80	2.57	296.20	3.50	429.50	5.15
1610-14M	115	123.40	1.40	164.50	1.92	242.00	2.95	323.60	4.02	469.60	5.95
1778-14M	127	131.70	1.52	175.30	2.13	258.10	3.25	345.60	4.45	501.60	6.55
1890-14M	135	138.30	1.62	184.40	2.25	272.00	3.49	364.40	4.73	529.10	6.95
2100-14M	150	150.70	1.80	201.50	2.50	298.10	3.88	399.70	5.25	580.80	7.75
2310-14M	165	160.50	2.00	214.60	2.75	318.00	4.26	426.40	5.75	619.90	8.50
2450-14M	175	167.10	2.12	223.40	2.93	331.20	4.52	444.20	6.10	646.00	9.00
2590-14M	185	175.20	2.25	234.70	3.10	348.10	4.78	467.00	6.45	679.40	9.55
2800-14M	200	187.40	2.43	251.60	3.34	373.50	5.15	501.20	7.00	729.60	10.30
3150-14M	225	205.70	2.73	276.80	3.77	412.10	5.80	553.60	7.85	807.20	11.60
3360-14M	240	215.40	2.90	290.70	4.02	432.70	6.20	581.70	8.35	848.40	12.35
3500-14M	250	222.10	3.00	299.80	4.19	446.50	6.45	600.80	8.75	875.70	12.90
3850-14M	275	244.50	3.30	333.10	4.60	494.70	7.10	665.80	9.62	968.50	14.20
4326-14M	309	271.60	3.70	367.20	5.17	549.40	8.00	740.00	10.80	1080.80	15.95
4578-14M	327	287.00	3.92	389.40	5.48	579.80	8.45	783.00	11.40	1122.50	16.90



Productos y Servicios para la Industria

# Standard timing belts


Oil, heat and abrasion-resistant.

Mini-pitch MXL (.080-inch) pitch timing belts are also available in both neoprene and urethane constructions. They range from 4.32 inches to 47.36 inches in length and can be cut to your width requirements. Consult Jason for availability. Many sizes are in stock for immediate delivery.

Jason timing belts are specified by belt length in inches times 10, belt pitch code and a three-digit belt width code which is the decimal inch-width multiplied by 100. A sample specification is shown below.

## Extra Light 1/5-inch (XL) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		025 (1/4")		031 (5/16")		037 (3/8")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
54XL	27	\$2.84	.005	\$3.28	.007	\$3.72	.008
60XL	30	2.92	.006	3.40	.008	3.84	.009
70XL	35	3.00	.007	3.48	.009	4.00	.011
80XL	40	3.08	.008	3.60	.010	4.12	.012
88XL	44	3.14	.009	3.70	.011	4.20	.014
90XL	45	3.16	.009	3.72	.011	4.24	.014
94XL	47	3.20	.010	3.74	.012	4.28	.015
98XL	49	3.24	.010	3.74	.013	4.30	.015
100XL	50	3.28	.010	3.80	.013	4.36	.015
102XL	51	3.34	.010	3.88	.013	4.48	.015
106XL	53	3.34	.011	3.88	.013	4.48	.016
110XL	55	3.36	.011	3.92	.014	4.52	.017
120XL	60	3.44	.012	4.04	.015	4.60	.019
128XL	64	3.50	.013	4.14	.016	4.70	.020
130XL	65	3.52	.013	4.16	.016	4.76	.020
134XL	67	*	.013	*	.017	*	.020
136XL	68	*	.014	*	.018	*	.021
140XL	70	3.64	.014	4.24	.018	4.88	.022
150XL	75	3.72	.015	4.36	.019	5.00	.023
156XL	78	3.80	.016	4.48	.020	5.16	.024
160XL	80	3.80	.016	4.48	.020	5.16	.025
170XL	85	3.88	.017	4.56	.022	5.24	.026
180XL	90	3.96	.018	4.68	.023	5.40	.028
182XL	91	4.00	.018	4.70	.023	5.42	.028
190XL	95	4.08	.019	4.80	.024	5.52	.029
198XL	99	4.16	.020	4.88	.025	5.64	.030
200XL	100	4.16	.020	4.88	.025	5.64	.031
202XL	101	4.20	.020	4.90	.025	5.68	.031
210XL	105	4.24	.021	5.00	.026	5.76	.032
214XL	107	4.28	.021	5.08	.027	5.84	.033
220XL	110	4.32	.022	5.12	.028	5.92	.034
228XL	114	4.42	.023	5.20	.029	5.96	.035
230XL	115	4.44	.023	5.24	.029	6.00	.035
234XL	117	4.48	.023	5.28	.030	6.08	.036
240XL	120	4.52	.024	5.32	.031	6.16	.037
250XL	125	4.60	.025	5.44	.032	6.28	.039
260XL	130	4.68	.026	5.52	.033	6.40	.040
270XL	135	4.72	.029	5.70	.034	6.58	.041
276XL	138	4.76	.029	5.80	.035	6.64	.042
290XL	145	4.92	.029	5.88	.038	6.80	.045
310XL	155	5.12	.031	6.08	.039	7.04	.047
316XL	158	5.24	.032	6.12	.040	7.08	.048
320XL	160	5.24	.032	6.20	.041	7.16	.049
330XL	165	5.28	.033	6.32	.042	7.32	.050
344XL	172	5.40	.034	6.46	.043	7.48	.051
352XL	176	5.48	.035	6.52	.044	7.56	.053
364XL	182	5.60	.036	6.64	.046	7.72	.055
380XL	190	5.76	.038	6.88	.048	7.98	.058
384XL	192	5.80	.039	6.92	.048	8.02	.059
390XL	195	5.84	.039	6.96	.049	8.08	.059
392XL	196	5.86	.039	6.98	.049	8.10	.059
434XL	217	6.20	.043	7.40	.054	8.56	.064
490XL	245	6.68	.049	8.04	.061	9.36	.073
600XL	300	8.16	.060	9.74	.075	11.38	.090



## Light 3/8-inch (L) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		050 (1/2")		075 (3/4")		100 (1")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
124L	33	\$7.68	.02	\$10.92	.05	\$14.00	.07
150L	40	8.48	.03	12.12	.05	15.60	.07
165L	44	8.72	.03	12.52	.06	16.14	.08
173L	46	9.00	.03	12.92	.06	16.70	.08
187L	50	9.24	.04	13.32	.07	17.24	.09
202L	54	9.80	.04	14.12	.08	18.34	.09
210L	56	10.04	.04	14.52	.08	18.84	.09
225L	60	10.32	.05	14.92	.08	19.38	.10
240L	64	10.84	.06	15.72	.08	20.48	.12
255L	68	11.08	.06	16.12	.09	21.02	.12
270L	72	11.60	.06	16.92	.10	22.08	.13
285L	76	11.88	.07	17.36	.10	22.62	.14
300L	80	12.40	.07	18.12	.11	23.72	.14
320L	85	12.90	.07	18.90	.12	24.70	.15
322L	86	12.92	.07	18.96	.12	24.80	.15
345L	92	13.44	.08	19.76	.13	25.86	.16
367L	98	13.92	.08	20.56	.13	26.94	.17
390L	104	14.72	.09	21.76	.14	28.54	.18
405L	108	14.96	.09	22.20	.14	29.10	.19
420L	112	15.48	.10	22.96	.15	30.18	.20
450L	120	16.28	.11	24.20	.16	31.78	.22
480L	128	17.08	.12	25.40	.17	33.42	.23
510L	136	17.60	.12	26.20	.18	34.52	.24
525L	140	*	.12	*	.19	*	.25
540L	144	18.64	.13	27.80	.20	36.66	.26
600L	160	20.20	.13	30.24	.21	39.90	.28
660L	178	21.76	.14	33.26	.23	43.89	.29
728L	194	23.32	.15	35.08	.25	45.28	.30
817L	218	26.80	.18	40.20	.29	53.60	.36

\* Price on Application

\* Price on Application



# Bertolami Transmisiones

Acevedo 1069 (C1414DJU)  
Bs. As. - Argentina  
Tel. (54) 11-4773-1953 / 4428-2200  
Fax. 4778-0315  
email: bertrans@arnet.com.ar

# Correas

# Dentadas

Productos y Servicios para la Industria

## Heavy 1/2-inch (H) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width									
		075 (3/4")		100 (1")		150 (1-1/2")		200 (2")		300 (3")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
240H	48	\$16.28	.13	\$21.00	.20	\$ 30.36	.28	\$ 39.76	.41	\$ 58.52	.56
270H	54	17.52	.15	22.64	.21	32.88	.31	43.04	.43	63.48	.63
300H	60	18.76	.17	24.32	.23	35.36	.35	46.36	.47	68.44	.70
322HL		*	*	*	*	*	*	*	*	*	*
330H	66	20.04	.19	25.96	.25	37.84	.38	49.68	.51	73.40	.77
350H	70	20.88	.20	27.08	.27	39.48	.40	51.88	.55	76.68	.82
360H	72	21.28	.20	27.64	.28	40.32	.42	53.00	.56	78.36	.84
375H	75	21.92	.21	28.46	.29	41.56	.43	54.64	.58	80.82	.88
390H	78	22.52	.22	29.28	.30	42.80	.45	56.28	.61	83.32	.91
400H	80	22.96	.23	29.84	.31	43.64	.47	57.40	.63	84.96	.93
420H	84	23.76	.24	30.96	.32	45.28	.49	59.60	.65	88.28	.98
450H	90	25.04	.25	32.60	.35	47.76	.52	62.92	.70	93.20	1.05
480H	96	26.28	.27	34.28	.37	50.24	.56	66.20	.72	98.16	1.12
510H	102	27.12	.28	35.40	.39	51.92	.59	68.44	.79	101.48	1.18
540H	108	28.76	.30	37.60	.41	55.24	.63	72.84	.84	108.08	1.25
555H	111	*	*	*	*	*	*	*	*	*	*
560H	112	*	*	*	*	*	*	*	*	*	*
570H	114	29.60	.32	38.72	.44	56.88	.66	75.04	.89	111.40	1.32
585H	117	*	*	*	*	*	*	*	*	*	*
600H	120	31.28	.34	40.92	.46	60.20	.70	79.44	.93	118.00	1.40
630H	126	32.12	.35	42.04	.48	61.84	.73	81.64	.98	121.32	1.47
660H	132	33.76	.37	44.24	.51	65.16	.77	86.06	1.02	127.92	1.54
694HL		*	*	*	*	*	*	*	*	*	*
700H	140	35.44	.39	46.44	.54	68.48	.81	90.48	1.09	134.52	1.64
725H	145	36.28	.41	47.56	.56	70.12	.84	92.68	1.12	137.84	1.75
750H	150	37.12	.42	48.68	.58	71.80	.87	94.88	1.16	141.12	1.87
800H	160	39.60	.45	52.00	.61	75.12	.93	101.52	1.24	151.04	1.93
850H	170	41.28	.48	54.20	.65	80.08	.99	105.92	1.32	157.64	1.99
900H	180	43.76	.51	57.52	.69	85.04	1.04	112.52	1.40	167.56	2.10
1000H	200	47.96	.56	63.04	.77	93.32	1.16	123.56	1.55	184.08	2.32
1100H	220	52.12	.59	68.56	.84	101.60	1.27	134.60	1.71	200.60	2.57
1120H	224	*	*	*	*	*	*	*	*	*	*
1140H	228	*	*	*	*	*	*	*	*	*	*
1150H	230	*	*	*	*	*	*	*	*	*	*
1250H	250	58.40	.70	76.88	.96	114.04	1.46	151.12	1.94	225.40	2.92
1400H	280	64.64	.79	85.16	1.07	126.44	1.62	167.68	2.17	250.16	3.24
1700H	340	77.16	.95	101.76	1.30	151.28	1.95	200.76	2.63	299.72	3.95
2010H	402	*	*	*	*	*	*	*	*	*	*
2360H	472	*	*	*	*	*	*	*	*	*	*


\* Price on Application

## Extra Heavy 7/8-inch (XH) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		200 (2")		300 (3")		400 (4")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
507XH	58	\$163.80	2.11	\$230.52	3.16	\$297.28	4.22
560XH	64	175.24	2.33	247.16	3.49	319.12	4.66
630XH	72	186.68	2.62	263.80	3.93	340.96	5.24
700XH	80	201.92	2.91	286.00	4.37	370.08	5.82
770XH	88	213.36	3.20	302.64	4.81	391.92	6.41
840XH	96	228.64	3.49	324.80	5.25	421.04	6.99
980XH	112	255.32	4.08	362.64	6.12	472.00	8.15
1120XH	128	278.20	4.66	396.92	6.99	515.68	9.32
1260XH	144	306.80	5.24	438.52	7.86	570.28	10.48
1400XH	160	335.40	5.82	480.12	8.74	624.88	11.65
1540XH	176	354.48	6.41	507.84	9.61	661.28	12.81
1750XH	200	402.12	7.28	577.20	10.92	752.28	14.56

## Double Extra Heavy 1-1/4-inch (XXH) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width							
		200 (2")		300 (3")		400 (4")		500 (5")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
700XXH	56	\$242.42	4.09	\$343.14	6.13	\$443.72	8.18	\$544.96	10.22
800XXH	64	265.36	4.67	376.42	7.01	487.08	9.34	599.04	11.68
900XXH	72	288.34	5.26	409.70	7.88	503.40	10.51	653.12	13.14
1000XXH	80	311.32	5.84	442.98	8.76	573.72	11.68	707.20	14.50
1200XXH	96	352.04	7.01	509.54	10.51	660.40	14.60	815.36	17.52
1400XXH	112	398.00	8.18	576.10	12.26	747.04	16.35	923.52	20.44
1600XXH	128	443.92	9.34	642.66	14.02	833.72	18.69	1031.68	23.36
1800XXH	144	494.00	10.57	709.22	15.77	924.56	21.02	1139.84	26.28





Productos y Servicios para la Industria

# Urethane timing belts, metric

Urethane steel cable construction.  
 Oil, heat and abrasion-resistant.

## T-5 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		4mm	6mm	8mm	10mm	12mm	16mm	20mm	25mm
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
T5-165	33	1.90	3.00	3.48	4.00	5.32	6.40	7.72	9.88
T5-185	37	1.90	3.00	3.48	4.00	5.32	6.40	7.72	9.88
T5-200	40	1.90	3.00	3.48	4.00	5.32	6.40	7.72	9.88
T5-215	43	1.96	3.08	3.60	4.12	5.48	6.56	8.00	10.24
T5-220	44	1.96	3.08	3.60	4.12	5.48	6.56	8.00	10.24
T5-225	45	1.96	3.08	3.60	4.12	5.48	6.56	8.00	10.24
T5-245	49	2.00	3.16	3.72	4.24	5.68	6.80	8.24	10.60
T5-250	50	2.02	3.28	3.80	4.36	5.88	7.04	8.52	10.96
T5-255	51	2.02	3.28	3.80	4.36	5.88	7.04	8.52	10.96
T5-260	52	2.02	3.28	3.80	4.36	5.88	7.04	8.52	10.96
T5-270	54	2.02	3.28	3.80	4.36	5.88	7.04	8.52	10.96
T5-275	55	2.06	3.32	3.86	4.44	5.96	7.18	8.66	11.14
T5-280	56	2.10	3.36	3.92	4.52	6.04	7.28	8.80	11.32
T5-295	59	2.10	3.36	3.92	4.52	6.04	7.28	8.80	11.32
T5-300	60	2.12	3.44	4.04	4.60	6.24	7.48	9.08	11.68
T5-305	61	2.12	3.44	4.04	4.60	6.24	7.48	9.08	11.68
T5-330	66	2.12	3.44	4.04	4.60	6.24	7.48	9.08	11.68
T5-340	68	2.16	3.52	4.16	4.76	6.40	7.68	9.32	12.04
T5-350	70	2.16	3.52	4.16	4.76	6.40	7.68	9.32	12.04
T5-355	71	2.16	3.52	4.16	4.76	6.40	7.68	9.32	12.04
T5-365	73	2.22	3.64	4.24	4.88	6.56	7.92	9.60	12.40
T5-375	75	2.22	3.64	4.24	4.88	6.56	7.92	9.60	12.40
T5-390	78	2.30	3.72	4.36	5.00	6.76	8.12	9.88	12.76
T5-400	80	2.30	3.72	4.36	5.00	6.76	8.12	9.88	12.76
T5-410	82	2.36	3.80	4.48	5.16	6.96	8.36	10.16	13.12
T5-420	84	2.36	3.80	4.48	5.16	6.96	8.36	10.16	13.12
T5-425	85	2.40	3.88	4.56	5.24	7.12	8.60	10.40	13.44
T5-430	86	2.40	3.88	4.56	5.24	7.12	8.60	10.40	13.44
T5-440	88	2.40	3.88	4.56	5.24	7.12	8.60	10.40	13.44
T5-450	90	2.40	3.88	4.56	5.24	7.12	8.60	10.40	13.44
T5-455	91	2.40	3.88	4.56	5.24	7.12	8.60	10.40	13.44
T5-460	92	2.42	3.96	4.68	5.40	7.32	8.76	10.68	13.80
T5-475	95	2.42	3.96	4.68	5.40	7.32	8.76	10.68	13.80
T5-480	96	2.42	3.96	4.68	5.40	7.32	8.76	10.68	13.80
T5-500	100	2.50	4.08	4.80	5.52	7.48	9.00	10.96	14.16
T5-510	102	2.52	4.16	4.88	5.64	7.64	9.24	11.24	14.52
T5-525	105	2.52	4.16	4.88	5.64	7.64	9.24	11.24	14.52
T5-545	109	2.56	4.24	5.00	5.76	7.84	9.48	11.48	14.88
T5-550	110	2.56	4.24	5.00	5.76	7.84	9.48	11.48	14.88
T5-560	112	2.62	4.32	5.12	5.92	8.00	9.68	11.76	15.24
T5-575	115	2.62	4.32	5.12	5.92	8.00	9.68	11.76	15.24
T5-600	120	2.76	4.52	5.32	6.16	8.40	10.12	12.32	15.96
T5-610	122	2.76	4.52	5.32	6.16	8.40	10.12	12.32	15.96
T5-620	124	2.76	4.52	5.32	6.16	8.40	10.12	12.32	15.96
T5-630	126	2.76	4.52	5.32	6.16	8.40	10.12	12.32	15.96
T5-650	130	2.78	4.60	5.44	6.28	8.56	10.32	12.56	16.32
T5-660	132	2.82	4.68	5.52	6.40	8.72	10.56	12.84	16.68
T5-690	138	2.88	4.76	5.64	6.58	8.92	10.80	13.12	17.04
T5-700	140	2.90	4.82	5.70	6.64	9.00	10.90	13.26	17.22
T5-720	144	2.92	4.88	5.76	6.68	9.08	11.00	13.40	17.40
T5-725	145	2.92	4.88	5.76	6.68	9.08	11.00	13.40	17.40
T5-750	150	2.96	4.92	5.88	6.80	9.28	11.20	13.64	17.76
T5-780	156	3.02	5.04	5.96	6.92	9.48	11.44	13.92	18.12
T5-815	163	3.16	5.24	6.20	7.16	9.84	11.88	14.40	18.84
T5-830	166	3.17	5.26	6.30	7.26	9.94	12.04	14.60	19.04
T5-840	168	3.18	5.28	6.32	7.32	10.00	12.12	14.72	19.20
T5-850	170	3.20	5.32	6.36	7.40	10.12	12.26	14.88	19.40
T5-900	180	3.28	5.48	6.52	7.56	10.36	12.52	15.28	19.92
T5-940	188	3.36	5.60	6.68	7.72	10.64	12.88	15.68	20.46
T5-990	198	3.42	5.72	6.84	7.96	10.92	13.20	16.08	21.00
T5-1000	200	3.44	5.78	6.92	8.06	11.06	13.40	16.46	21.40
T5-1075	215	3.62	6.08	7.28	8.48	11.60	14.08	17.16	22.40
T5-1100	220	3.68	6.20	7.40	8.56	11.76	14.32	17.44	22.76
T5-1215	243	3.88	6.52	7.80	9.12	12.52	15.20	18.52	24.20
T5-1280	256	4.15	6.97	8.34	9.75	13.40	16.25	19.80	25.88
T5-1380	276	4.42	7.44	8.88	10.38	14.28	17.32	21.10	27.80
T5-1440	288	4.60	7.74	9.24	10.80	14.86	18.00	21.94	28.70

## T-10 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		10mm	14mm	16mm	20mm	25mm	30mm	32mm	50mm
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
T10-370	37	6.44	8.58	9.76	11.72	15.10	17.32	18.34	28.00
T10-400	40	6.64	8.88	10.08	12.12	15.60	17.94	19.00	29.10
T10-410	41	6.80	9.16	10.40	12.52	16.14	18.56	19.66	30.14
T10-440	44	7.00	9.44	10.72	12.92	16.70	19.18	20.32	31.24
T10-450	45	7.10	9.56	10.88	13.10	16.96	19.48	20.72	31.76
T10-500	50	7.40	10.04	11.40	13.72	17.78	20.46	21.68	33.38
T10-530	53	7.56	10.32	11.72	14.12	18.34	21.08	22.34	34.44
T10-560	56	7.96	10.88	12.36	14.92	19.38	22.40	23.72	36.62
T10-610	61	8.32	11.48	13.04	15.72	20.48	23.64	25.04	38.76
T10-630	63	8.32	11.48	13.04	15.72	20.48	23.64	25.04	38.76
T10-660	66	8.48	11.72	13.32	16.12	21.02	24.30	25.74	39.82
T10-690	69	8.88	12.28	13.96	16.92	22.08	25.54	27.10	41.96
T10-700	70	8.88	12.28	13.96	16.92	22.08	25.54	27.10	41.96
T10-720	72	9.08	12.56	14.28	17.36	22.62	26.16	27.72	43.06
T10-750	75	9.24	12.88	14.64	17.76	23.16	26.84	28.44	44.14
T10-780	78	9.48	13.12	14.92	18.12	23.72	27.48	29.10	45.20
T10-810	81	9.64	13.44	15.28	18.56	24.26	28.10	29.76	46.30
T10-840	84	10.00	14.00	15.92	19.36	25.32	29.38	31.12	48.44
T10-880	88	10.24	14.30	16.24	19.76	25.86	30.00	31.78	49.50
T10-890	89	10.40	14.58	16.56	20.20	26.40	30.62	32.44	50.58
T10-900	90	10.40	14.58	16.56	20.20	26.40	30.62	32.44	50.58
T10-910	91	10.60	14.88	16.92	20.56	26.94	31.26	33.12	51.68
T10-920	92	10.60	14.88	16.92	20.56	26.94	31.26	33.12	51.68
T10-950	95	10.76	15.14	17.20	20.96	27.50	31.92	33.82	52.72
T10-960	96	10.76	15.14	17.20	20.96	27.50	31.92	33.82	52.72
T10-970	97	11.00	15.46	17.56	21.40	28.04	32.54	34.48	53.82
T10-980	98	11.00	15.46	17.56	21.40	28.04	32.54	34.48	53.82
T10-1010	101	11.16	15.74	17.88	21.76	28.54	33.18	35.14	54.88
T10-1050	105	11.40	16.24	18.46	22.46	29.44	34.20	36.26	56.68
T10-1080	108	11.70	16.58	18.84	22.96	30.18	35.08	37.16	58.12
T10-1100	110	11.90	16.85	19.28	23.35	30.70	35.48	37.85	59.18
T10-1110	111	11.90	16.85	19.28	23.35	30.70	35.48	37.85	59.18
T10-1140	114	12.08	17.14	19.48	23.80	31.28	36.20	38.34	60.26
T10-1150	115	12.28	17.46	19.84	24.20	31.78	37.00	39.20	61.34
T10-1200	120	12.68	17.98	20.44	25.00	32.88	38.26	40.52	63.50
T10-1210	121	12.68	17.98	20.44	25.00	32.88	38.26	40.52	63.50
T10-1240	124	12.84	18.30	20.80	25.40	33.42	38.92	41.22	64.54
T10-1250	125	13.04	18.56	21.08	25.80	33.96	39.54	41.88	65.64
T10-1300	130	13.24	18.86	21.44	26.20	34.52	40.16	42.54	66.72
T10-1320	132	13.24	18.86	21.44	26.20	34.52	40.16	42.54	66.72
T10-1350	135	13.60	19.46	22.12	27.04	35.56	41.46	43.92	68.88
T10-1390	139	13.96	20.00	22.72	27.80	36.66	42.70	45.24	71.02
T10-1400	140	13.96	20.00	22.72	27.80	36.66	42.70	45.24	71.02
T10-1420	142	13.96	20.00	22.72	27.80	36.66	42.70	45.24	71.02
T10-1440	144	14.16	20.28	23.04	28.20	37.22	43.36	45.92	72.10
T10-1450	145	14.36	20.56	23.36	28.60	37.76	44.00	46.60	73.16
T10-1460	146	14.36	20.56	23.36	28.60	37.76	44.00	46.60	73.16
T10-1500	150	14.76	21.16	24.04	29.44	38.80	45.26	47.94	