



Productos y Servicios para la Industria


UniMatch[®] multiple V-belts

Oil and heat-resistant.
 Static dissipating.

The UniMatch construction eliminates belt set matching with its multiple stocking problems.

Stock multiple V-belts are available in the five standard sections listed below. For metric sizes see pages 18 and 19. Consult the main office for other sizes not listed below.

These belts conform to RMA Engineering Standard IP-20.



Multiple V-belts are listed by an industry number where the letter indicates the belt section and the number is the belt **inside length** in inches.

A Section Multiple V-Belts (1/2-inch Top Width , 5/16-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|---------------|------------|----------------------|---------------|------------|----------------------|---------------|------------|----------------------|
| A18¾ | \$4.92 | .10 | A43 | \$7.00 | .30 | A71 | \$9.64 | .40 | A99 | \$13.76 | .50 |
| A19 | 5.00 | .10 | A44 | 7.04 | .30 | A72 | 9.72 | .40 | A100 | 13.76 | .50 |
| A20 | 5.00 | .10 | A45 | 7.12 | .30 | A73 | 9.80 | .40 | A102 | 14.00 | .50 |
| A21 | 5.08 | .10 | A46 | 7.20 | .30 | A74 | 9.88 | .40 | A103 | 14.14 | .50 |
| A21¾ | 5.08 | .10 | A47 | 7.32 | .30 | A75 | 10.00 | .40 | A104 | 14.28 | .50 |
| A22 | 5.08 | .15 | A48 | 7.40 | .30 | A76 | 10.16 | .40 | A105 | 14.40 | .50 |
| A23 | 5.12 | .20 | A49 | 7.48 | .30 | A77 | 10.24 | .40 | A106 | 14.80 | .55 |
| A23½ | 5.16 | .20 | A50 | 7.52 | .30 | A78 | 10.40 | .40 | A108 | 15.20 | .60 |
| A24 | 5.16 | .20 | A51 | 7.60 | .30 | A79 | 10.60 | .40 | A110 | 15.60 | .70 |
| A25 | 5.20 | .20 | A52 | 7.64 | .30 | A80 | 10.80 | .40 | A112 | 16.00 | .80 |
| A26 | 5.20 | .20 | A53 | 7.80 | .30 | A81 | 11.00 | .40 | A114 | 16.32 | .80 |
| A27 | 5.28 | .20 | A54 | 8.00 | .30 | A82 | 11.12 | .40 | A116 | 16.64 | .80 |
| A28 | 5.40 | .20 | A55 | 8.00 | .30 | A83 | 11.28 | .40 | A118 | 16.96 | .80 |
| A29 | 5.48 | .20 | A56 | 8.20 | .30 | A84 | 11.40 | .40 | A120 | 17.20 | .80 |
| A29½ | 5.54 | .20 | A57 | 8.24 | .30 | A85 | 11.60 | .40 | A124 | 17.80 | .80 |
| A30 | 5.60 | .20 | A58 | 8.28 | .30 | A86 | 11.76 | .40 | A128 | 18.40 | .80 |
| A31 | 5.60 | .20 | A59 | 8.32 | .30 | A87 | 11.92 | .40 | A130 | 18.68 | .80 |
| A32 | 5.68 | .20 | A60 | 8.40 | .30 | A88 | 12.08 | .40 | A133½ | 19.12 | .80 |
| A33 | 5.80 | .20 | A61 | 8.52 | .30 | A89 | 12.12 | .40 | A134 | 19.20 | .80 |
| A34 | 5.88 | .20 | A62 | 8.60 | .30 | A90 | 12.40 | .40 | A136 | 19.44 | .90 |
| A35 | 6.00 | .20 | A63 | 8.80 | .30 | A91 | 12.56 | .50 | A144 | 20.56 | 1.00 |
| A36 | 6.00 | .20 | A64 | 8.92 | .30 | A92 | 12.68 | .50 | A158 | 22.60 | 1.10 |
| A37 | 6.00 | .20 | A65 | 9.00 | .30 | A93 | 12.80 | .50 | A162 | 23.00 | 1.10 |
| A38 | 6.40 | .20 | A66 | 9.00 | .40 | A94 | 12.96 | .50 | A173 | 24.00 | 1.15 |
| A39 | 6.64 | .20 | A67 | 9.12 | .40 | A95 | 13.08 | .50 | A180 | 24.60 | 1.15 |
| A40 | 6.68 | .20 | A68 | 9.20 | .40 | A96 | 13.20 | .50 | A196 | 25.50 | 1.31 |
| A41 | 6.72 | .20 | A69 | 9.60 | .40 | A97 | 13.36 | .50 | A197 | 26.50 | 1.31 |
| A42 | 6.80 | .20 | A70 | 9.60 | .40 | A98 | 13.52 | .50 | A221 | 29.73 | 1.40 |

Inside length plus 2 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.



Bertolami Transmisiones

Acevedo 1069 (C1414DJU)
Bs. As. - Argentina
Tel. (54) 11-4773-1953 / 4428-2200
Fax. 4778-0315
email: bertrans@arnet.com.ar

Correas

En "V"

Productos y Servicios para la Industria

B Section Multiple V-Belts (21/32-inch Top Width , 13/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|---------------|------------|----------------------|---------------|------------|----------------------|---------------|------------|----------------------|
| B22½ | \$6.80 | .40 | B57 | \$11.72 | .60 | B92 | \$17.52 | .90 | B152 | \$29.00 | 1.50 |
| B23 | 7.00 | .40 | B58 | 11.76 | .60 | B93 | 17.68 | .90 | B153 | 29.16 | 1.50 |
| B24 | 7.20 | .40 | B59 | 11.96 | .60 | B94 | 17.88 | .90 | B154 | 29.32 | 1.50 |
| B24½ | 7.40 | .40 | B60 | 12.00 | .60 | B95 | 18.04 | .90 | B157 | 29.84 | 1.50 |
| B26 | 7.52 | .40 | B61 | 12.20 | .70 | B96 | 18.20 | .90 | B158 | 30.00 | 1.50 |
| B27 | 7.56 | .40 | B62 | 12.40 | .70 | B97 | 18.80 | .90 | B162 | 30.80 | 1.50 |
| B28 | 7.60 | .40 | B63 | 12.48 | .70 | B98 | 18.92 | .90 | B163 | 31.00 | 1.50 |
| B29 | 7.68 | .40 | B64 | 12.56 | .70 | B99 | 19.16 | 1.00 | B165 | 31.50 | 1.50 |
| B30 | 7.72 | .40 | B64½ | 12.60 | .70 | B100 | 19.16 | 1.00 | B173 | 32.80 | 1.50 |
| B31 | 7.80 | .40 | B65 | 12.64 | .70 | B101 | 19.28 | 1.00 | B175 | 33.28 | 1.50 |
| B32 | 7.84 | .40 | B66 | 12.96 | .70 | B102 | 19.40 | 1.00 | B180 | 34.40 | 1.50 |
| B33 | 7.96 | .40 | B67 | 13.08 | .70 | B103 | 19.48 | 1.00 | B184 | 35.16 | 1.50 |
| B34 | 7.96 | .40 | B67¼ | 13.12 | .70 | B104 | 19.60 | 1.00 | B190 | 36.27 | 1.90 |
| B35 | 8.00 | .40 | B68 | 13.20 | .70 | B105 | 20.00 | 1.00 | B192 | 36.64 | 2.00 |
| B36 | 8.20 | .40 | B69 | 13.76 | .70 | B106 | 20.40 | 1.00 | B195 | 37.20 | 2.00 |
| B37 | 8.60 | .40 | B69¼ | 13.80 | .70 | B107 | 20.60 | 1.00 | B204 | 38.88 | 2.00 |
| B38 | 8.80 | .40 | B70 | 14.00 | .70 | B108 | 20.68 | 1.00 | B210 | 40.00 | 2.00 |
| B39 | 9.08 | .40 | B71 | 14.08 | .70 | B110 | 21.16 | 1.10 | B221 | 41.00 | 2.25 |
| B39¾ | 9.14 | .40 | B72 | 14.20 | .70 | B112 | 21.60 | 1.10 | B223 | 42.24 | 2.25 |
| B40 | 9.16 | .40 | B73 | 14.28 | .70 | B114 | 22.00 | 1.20 | B224 | 42.40 | 2.30 |
| B41 | 9.20 | .40 | B74 | 14.36 | .70 | B115 | 22.08 | 1.20 | B225 | 42.60 | 2.30 |
| B42 | 9.60 | .40 | B75 | 14.40 | .70 | B116 | 22.20 | 1.20 | B228 | 43.08 | 2.30 |
| B43 | 9.72 | .40 | B76 | 14.72 | .70 | B118 | 22.52 | 1.20 | B229 | 43.28 | 2.30 |
| B44 | 9.72 | .40 | B77 | 14.96 | .80 | B120 | 22.80 | 1.20 | B240 | 45.20 | 2.30 |
| B45 | 10.00 | .40 | B78 | 15.00 | .80 | B124 | 23.60 | 1.20 | B248 | 47.20 | 2.30 |
| B46 | 10.40 | .50 | B79 | 15.24 | .80 | B126 | 24.00 | 1.20 | B253 | 48.36 | 2.30 |
| B47 | 10.46 | .50 | B80 | 15.48 | .80 | B127 | 24.20 | 1.20 | B255 | 48.80 | 2.30 |
| B48 | 10.80 | .50 | B81 | 15.60 | .80 | B128 | 24.40 | 1.30 | B259 | 49.44 | 2.30 |
| B49 | 10.88 | .50 | B82 | 15.80 | .80 | B130 | 24.64 | 1.30 | B270 | 51.20 | 2.30 |
| B50 | 11.00 | .50 | B83 | 16.12 | .80 | B132 | 24.88 | 1.30 | B276 | 52.00 | 2.70 |
| B51 | 11.20 | .50 | B84 | 16.20 | .80 | B133 | 25.00 | 1.30 | B285 | 53.20 | 2.70 |
| B52 | 11.24 | .50 | B85 | 16.40 | .80 | B134 | 25.08 | 1.30 | B292 | 55.29 | 2.70 |
| B53 | 11.40 | .50 | B86 | 16.56 | .80 | B135 | 25.20 | 1.30 | B300 | 56.80 | 2.70 |
| B53½ | 11.48 | .50 | B87 | 16.72 | .80 | B136 | 25.60 | 1.30 | B315 | 59.60 | 2.90 |
| B54 | 11.52 | .50 | B88 | 16.88 | .80 | B140 | 26.60 | 1.30 | B330 | 62.40 | 2.90 |
| B55 | 11.60 | .60 | B89 | 17.04 | .80 | B144 | 27.60 | 1.40 | B333 | 63.00 | 2.90 |
| B55½ | 11.60 | .60 | B90 | 17.20 | .90 | B148 | 28.40 | 1.40 | B345 | 65.40 | 3.00 |
| B56 | 11.68 | .60 | B91 | 17.36 | .90 | B150 | 28.64 | 1.50 | B360 | 80.00 | 3.20 |

Inside length plus 3 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

C Section Multiple V-Belts (7/8-inch Top Width, 17/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) | Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|---------------|------------|----------------------|---------------|------------|----------------------|---------------|------------|----------------------|
| *C43 | \$15.20 | .80 | C97½ | \$34.80 | 1.80 | C144 | \$51.20 | 2.40 | C228 | \$80.32 | 4.40 |
| *C48 | 16.80 | .80 | C98 | 35.00 | 1.80 | C148 | 52.32 | 2.60 | C240 | 84.00 | 4.80 |
| C51 | 18.40 | .90 | C99 | 35.00 | 1.80 | C150 | 53.20 | 2.60 | C248 | 86.20 | 5.00 |
| C53 | 19.20 | .90 | C100 | 35.20 | 1.90 | C152 | 53.80 | 2.60 | C255 | 90.40 | 5.00 |
| C55 | 20.20 | 1.00 | C102 | 35.60 | 1.90 | C153 | 54.00 | 2.60 | C270 | 94.80 | 5.40 |
| C60 | 21.60 | 1.10 | C105 | 37.60 | 1.90 | C154 | 55.00 | 2.70 | C276 | 96.72 | 5.40 |
| C62¼ | 22.40 | 1.10 | C106 | 37.96 | 1.90 | C158 | 56.00 | 2.70 | C285 | 99.60 | 5.60 |
| C63¼ | 23.40 | 1.10 | C109 | 38.40 | 1.90 | C162 | 57.20 | 2.70 | C297 | 104.08 | 5.60 |
| C68 | 24.40 | 1.10 | C110 | 39.40 | 1.90 | C166 | 58.60 | 2.70 | C300 | 105.20 | 5.60 |
| C70 | 25.40 | 1.20 | C112 | 40.00 | 2.00 | C168 | 59.36 | 2.70 | C303 | 106.36 | 5.60 |
| C72 | 25.76 | 1.20 | C115 | 41.04 | 2.00 | C173 | 61.20 | 3.00 | C314 | 110.00 | 5.60 |
| C75 | 26.80 | 1.20 | C116 | 41.04 | 2.00 | C177 | 62.27 | 3.10 | C315 | 111.00 | 5.60 |
| C80 | 28.80 | 1.20 | C118 | 41.12 | 2.00 | C180 | 64.00 | 3.20 | C330 | 115.60 | 5.70 |
| C81 | 29.20 | 1.30 | C120 | 42.80 | 2.10 | C190 | 67.60 | 3.20 | C345 | 121.40 | 6.60 |
| C83 | 29.60 | 1.30 | C124 | 44.20 | 2.20 | C195 | 69.20 | 3.40 | C360 | 126.00 | 7.00 |
| C85 | 30.00 | 1.40 | C128 | 45.60 | 2.30 | C204 | 72.56 | 3.60 | C390 | 136.80 | 7.40 |
| C90 | 32.40 | 1.40 | C130 | 46.32 | 2.40 | C207 | 74.06 | 3.65 | C420 | 147.20 | 7.80 |
| C93 | 33.40 | 1.40 | C134 | 47.72 | 2.40 | C208 | 74.06 | 3.65 | | | |
| C96 | 34.40 | 1.50 | C136 | 48.40 | 2.40 | C210 | 74.80 | 3.70 | | | |
| C97 | 34.60 | 1.80 | C140 | 49.80 | 2.40 | C225 | 79.40 | 4.40 | | | |

Inside length plus 4 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

*Non-Stock



Productos y Servicios para la Industria


UniMatch® deep wedge V-belts

Oil and heat-resistant.
 Static dissipating.

A more narrow, deeper wedge shape with more efficient load carrying characteristics and higher power capability allows for smaller, more compact drives. These belts feature the UniMatch construction. This eliminates belt set matching with its multiple stocking and belt wastage problems.

These belts conform to RMA Engineering Standard IP-22.

Stock UniMatch deep wedge V-belts are listed below. In-between lengths and lengths over 600 inches are available on special order.



Deep wedge V-belts are identified by a number and letter specifying the belt section and a number giving the **outside length** in inches multiplied by 10. For example: **3V1250**.



3V Section Deep Wedge V-Belts (3/8-inch Top Width, 5/16-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 3V250 | \$7.80 | .10 |
| 3V265 | 8.00 | .10 |
| 3V280 | 8.20 | .10 |
| 3V300 | 8.40 | .10 |
| 3V315 | 8.80 | .10 |
| 3V335 | 9.00 | .20 |
| 3V355 | 9.40 | .20 |
| 3V375 | 9.60 | .20 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 3V400 | \$10.20 | .20 |
| 3V425 | 10.60 | .20 |
| 3V450 | 11.00 | .20 |
| 3V475 | 11.40 | .20 |
| 3V500 | 11.60 | .20 |
| 3V530 | 12.00 | .20 |
| 3V560 | 12.40 | .20 |
| 3V600 | 13.00 | .20 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 3V630 | \$13.40 | .30 |
| 3V670 | 14.00 | .30 |
| 3V710 | 14.80 | .30 |
| 3V750 | 15.60 | .30 |
| 3V800 | 16.60 | .30 |
| 3V830 | 17.80 | .35 |
| 3V850 | 17.80 | .40 |
| 3V900 | 19.20 | .40 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 3V950 | \$20.20 | .40 |
| 3V1000 | 21.40 | .40 |
| 3V1060 | 22.60 | .40 |
| 3V1120 | 24.60 | .50 |
| 3V1180 | 26.20 | .50 |
| 3V1250 | 28.00 | .60 |
| 3V1320 | 29.60 | .60 |
| 3V1400 | 31.40 | .70 |

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

5V Section Deep Wedge V-Belts (5/8-inch Top Width, 17/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 5V500 | \$24.60 | .60 |
| 5V530 | 25.60 | .70 |
| 5V560 | 26.80 | .70 |
| 5V600 | 29.00 | .70 |
| 5V630 | 30.40 | .70 |
| 5V670 | 32.40 | .80 |
| 5V710 | 34.40 | .80 |
| 5V750 | 36.40 | .80 |
| 5V800 | 38.80 | .90 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 5V850 | \$41.80 | .90 |
| 5V900 | 43.40 | .90 |
| 5V950 | 46.60 | .90 |
| 5V1000 | 49.20 | 1.10 |
| 5V1060 | 52.20 | 1.10 |
| 5V1120 | 55.20 | 1.20 |
| 5V1180 | 58.20 | 1.30 |
| 5V1250 | 61.80 | 1.30 |
| 5V1320 | 65.20 | 1.40 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 5V1400 | \$68.80 | 1.50 |
| 5V1500 | 74.00 | 1.60 |
| 5V1600 | 79.00 | 1.70 |
| 5V1700 | 84.00 | 1.80 |
| 5V1800 | 89.20 | 2.20 |
| 5V1900 | 94.40 | 2.20 |
| 5V2000 | 99.60 | 2.20 |
| 5V2120 | 105.80 | 2.40 |
| 5V2240 | 112.00 | 2.70 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 5V2360 | \$117.60 | 2.80 |
| 5V2500 | 124.60 | 3.00 |
| 5V2650 | 132.40 | 3.10 |
| 5V2800 | 139.60 | 3.30 |
| 5V3000 | 149.40 | 3.50 |
| 5V3150 | 156.80 | 3.80 |
| 5V3350 | 166.80 | 3.90 |
| 5V3550 | 176.80 | 4.00 |

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

8V Section Deep Wedge V-Belts (1-inch Top Width, 7/8-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 8V1000 | \$94.00 | 3.50 |
| 8V1060 | 99.60 | 3.70 |
| 8V1120 | 105.40 | 3.90 |
| 8V1180 | 111.20 | 4.20 |
| 8V1250 | 117.80 | 4.40 |
| 8V1320 | 124.40 | 4.70 |
| 8V1400 | 132.00 | 4.90 |
| 8V1500 | 141.60 | 5.20 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 8V1600 | \$151.00 | 5.60 |
| 8V1700 | 162.00 | 5.90 |
| 8V1800 | 170.08 | 6.30 |
| 8V1900 | 180.60 | 6.70 |
| 8V2000 | 190.40 | 7.00 |
| 8V2120 | 202.20 | 7.50 |
| 8V2240 | 213.20 | 7.90 |
| 8V2360 | 224.20 | 8.30 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 8V2500 | \$237.40 | 8.80 |
| 8V2650 | 251.80 | 9.30 |
| 8V2800 | 266.60 | 9.80 |
| 8V3000 | 285.60 | 10.50 |
| 8V3150 | 300.20 | 11.10 |
| 8V3350 | 319.60 | 11.80 |
| 8V3550 | 338.60 | 12.50 |
| 8V3750 | 358.00 | 13.30 |

| Ind. Belt No. | List Price | Approx. Weight (lbs) |
|---------------|------------|----------------------|
| 8V4000 | \$382.80 | 14.00 |
| 8V4250 | 407.60 | 14.90 |
| 8V4500 | 432.40 | 15.80 |
| 8V4750 | 457.20 | 16.40 |
| 8V5000 | 482.00 | 17.20 |
| 8V5600 | 541.60 | 19.00 |

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.



Productos y Servicios para la Industria

SPA Section Metric V-Belts (12.7mm Top Width, 10mm Thick) ALSO AVAILABLE AS XPA TO XPA2240

| Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) |
|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|
| SPA732 | \$12.39 | .2 | SPA1257 | \$20.49 | .4 | SPA1800 | \$31.05 | .5 | SPA2500 | \$39.15 | .7 |
| SPA757 | 12.39 | .2 | SPA1272 | 20.49 | .4 | SPA1807 | 32.19 | .5 | SPA2532 | 40.74 | .7 |
| SPA782 | 12.39 | .2 | SPA1282 | 20.49 | .4 | SPA1832 | 32.19 | .5 | SPA2582 | 40.74 | .7 |
| SPA800 | 12.39 | .2 | SPA1307 | 20.49 | .4 | SPA1857 | 32.19 | .5 | SPA2607 | 40.74 | .7 |
| SPA807 | 12.84 | .2 | SPA1320 | 20.49 | .4 | SPA1882 | 32.19 | .5 | SPA2632 | 40.74 | .7 |
| SPA832 | 12.84 | .2 | SPA1332 | 23.19 | .4 | SPA1900 | 32.19 | .6 | SPA2650 | 40.74 | .7 |
| SPA850 | 12.84 | .2 | SPA1357 | 23.19 | .4 | SPA1907 | 33.54 | .6 | SPA2682 | 42.75 | .7 |
| SPA857 | 13.74 | .2 | SPA1382 | 23.19 | .4 | SPA1932 | 33.54 | .6 | SPA2732 | 42.75 | .7 |
| SPA882 | 13.74 | .2 | SPA1400 | 23.19 | .4 | SPA1957 | 33.54 | .6 | SPA2782 | 42.75 | .8 |
| SPA900 | 13.74 | .2 | SPA1407 | 23.19 | .4 | SPA1982 | 33.54 | .6 | SPA2800 | 42.75 | .8 |
| SPA907 | 14.64 | .3 | SPA1432 | 26.55 | .4 | SPA2000 | 33.54 | .6 | SPA2832 | 45.00 | .8 |
| SPA932 | 14.64 | .3 | SPA1457 | 26.55 | .4 | SPA2032 | 35.34 | .6 | SPA2882 | 45.00 | .8 |
| SPA950 | 14.64 | .3 | SPA1482 | 26.55 | .4 | SPA2057 | 35.34 | .6 | SPA2932 | 51.09 | .8 |
| SPA957 | 15.30 | .3 | SPA1500 | 26.55 | .4 | SPA2082 | 35.34 | .6 | SPA2982 | 51.09 | .8 |
| SPA982 | 15.30 | .3 | SPA1507 | 28.35 | .4 | SPA2120 | 35.34 | .6 | SPA3000 | 51.09 | .8 |
| SPA1000 | 15.30 | .3 | SPA1532 | 28.35 | .4 | SPA2132 | 36.69 | .6 | SPA3032 | 52.20 | .9 |
| SPA1007 | 16.44 | .3 | SPA1557 | 28.35 | .4 | SPA2182 | 36.69 | .6 | SPA3082 | 52.20 | .9 |
| SPA1032 | 16.44 | .3 | SPA1582 | 28.35 | .5 | SPA2207 | 36.69 | .6 | SPA3150 | 52.20 | .9 |
| SPA1060 | 16.44 | .3 | SPA1600 | 28.35 | .5 | SPA2232 | 36.69 | .6 | SPA3182 | 52.65 | .9 |
| SPA1082 | 17.79 | .3 | SPA1607 | 30.15 | .5 | SPA2240 | 36.69 | .6 | SPA3282 | 54.90 | .9 |
| SPA1107 | 17.79 | .3 | SPA1632 | 30.15 | .5 | SPA2282 | 38.25 | .7 | SPA3350 | 54.90 | 1.0 |
| SPA1120 | 17.79 | .3 | SPA1657 | 30.15 | .5 | SPA2300 | 38.25 | .7 | SPA3382 | 58.29 | 1.0 |
| SPA1132 | 17.79 | .3 | SPA1682 | 30.15 | .5 | SPA2307 | 38.25 | .7 | SPA3550 | 58.29 | 1.0 |
| SPA1157 | 18.90 | .3 | SPA1700 | 30.15 | .5 | SPA2332 | 38.25 | .7 | SPA3750 | 61.20 | 1.1 |
| SPA1180 | 18.90 | .3 | SPA1707 | 31.05 | .5 | SPA2360 | 38.25 | .7 | SPA4000 | 65.04 | 1.2 |
| SPA1207 | 19.80 | .3 | SPA1732 | 31.05 | .5 | SPA2382 | 39.15 | .7 | SPA4250 | 68.19 | 1.2 |
| SPA1232 | 19.80 | .4 | SPA1757 | 31.05 | .5 | SPA2432 | 39.15 | .7 | SPA4500 | 72.45 | 1.3 |
| SPA1250 | 19.80 | .4 | SPA1782 | 31.05 | .5 | SPA2482 | 39.15 | .7 | | | |

Add 18mm to pitch length for outside length. Additional sizes available to SPA5080.

FOR NOTCHED CONSTRUCTION ADD 25% TO LIST PRICE.

SPB Section Metric V-Belts (16.3mm Top Width, 13mm Thick) ALSO AVAILABLE AS XPB TO XPB2240

| Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) |
|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|
| SPB1250 | \$31.29 | .6 | SPB2150 | \$52.95 | 1.1 | SPB3340 | \$82.14 | 1.6 | SPB5300 | \$129.84 | 2.7 |
| SPB1260 | 31.29 | .6 | SPB2240 | 56.04 | 1.1 | SPB3350 | 82.14 | 1.7 | SPB5380 | 129.84 | 2.7 |
| SPB1320 | 32.40 | .7 | SPB2280 | 56.04 | 1.1 | SPB3550 | 86.85 | 1.7 | SPB5600 | 137.25 | 2.8 |
| SPB1340 | 32.40 | .7 | SPB2360 | 58.95 | 1.2 | SPB3750 | 91.80 | 1.8 | SPB5680 | 137.25 | 2.8 |
| SPB1400 | 34.89 | .7 | SPB2410 | 58.95 | 1.2 | SPB3800 | 91.80 | 1.9 | SPB5990 | 146.70 | 2.9 |
| SPB1410 | 34.89 | .7 | SPB2500 | 62.34 | 1.2 | SPB4000 | 97.65 | 2.0 | SPB6000 | 146.70 | 3.0 |
| SPB1500 | 37.35 | .8 | SPB2530 | 62.34 | 1.3 | SPB4060 | 97.65 | 2.0 | SPB6300 | 155.25 | 3.1 |
| SPB1590 | 37.35 | .8 | SPB2650 | 66.39 | 1.3 | SPB4250 | 103.95 | 2.1 | SPB6340 | 155.25 | 3.2 |
| SPB1600 | 39.39 | .8 | SPB2680 | 66.39 | 1.4 | SPB4310 | 103.95 | 2.1 | SPB6700 | 164.25 | 3.4 |
| SPB1700 | 42.30 | .9 | SPB2800 | 69.54 | 1.4 | SPB4500 | 110.25 | 2.2 | SPB7100 | 173.70 | 3.6 |
| SPB1800 | 44.10 | .9 | SPB2840 | 69.54 | 1.5 | SPB4560 | 110.25 | 2.3 | SPB7500 | 184.05 | 3.7 |
| SPB1900 | 47.49 | .9 | SPB2990 | 69.54 | 1.5 | SPB4750 | 116.34 | 2.3 | SPB7990 | 195.99 | 4.0 |
| SPB2000 | 50.19 | 1.0 | SPB3000 | 74.70 | 1.5 | SPB4820 | 116.34 | 2.4 | SPB8000 | 195.99 | 4.0 |
| SPB2020 | 50.19 | 1.1 | SPB3150 | 76.95 | 1.6 | SPB5000 | 122.64 | 2.5 | | | |
| SPB2120 | 52.95 | 1.1 | SPB3170 | 76.95 | 1.6 | SPB5070 | 122.64 | 2.6 | | | |

Add 22mm to pitch length for outside length. Additional sizes available to SPB13700.

FOR NOTCHED CONSTRUCTION ADD 25% TO LIST PRICE.

SPC Section Metric V-Belts (22mm Top Width, 18mm Thick)

| Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) |
|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|
| SPC2240 | \$84.60 | 1.8 | SPC3550 | \$126.99 | 2.8 | SPC5600 | \$197.34 | 4.4 | SPC9000 | \$312.84 | 7.1 |
| SPC2360 | 89.10 | 1.9 | SPC3750 | 133.89 | 2.9 | SPC6000 | 210.60 | 4.7 | SPC10000 | 344.25 | 7.9 |
| SPC2500 | 93.60 | 2.0 | SPC4000 | 143.34 | 3.1 | SPC6300 | 220.74 | 4.9 | SPC10600 | 364.50 | 8.3 |
| SPC2650 | 99.00 | 2.1 | SPC4250 | 151.65 | 3.3 | SPC6700 | 234.00 | 5.2 | SPC11200 | 389.25 | 8.8 |
| SPC2800 | 104.19 | 2.2 | SPC4500 | 159.75 | 3.5 | SPC7100 | 247.50 | 5.6 | SPC11800 | 377.25 | 9.3 |
| SPC3000 | 110.70 | 2.4 | SPC4750 | 159.75 | 3.7 | SPC7500 | 261.00 | 5.9 | SPC12500 | 432.00 | 9.9 |
| SPC3150 | 113.40 | 2.5 | SPC5000 | 176.64 | 3.9 | SPC8000 | 279.00 | 6.3 | | | |
| SPC3350 | 120.39 | 2.6 | SPC5300 | 186.75 | 4.2 | SPC8500 | 294.75 | 6.7 | | | |

Add 30mm to pitch length for outside length. Additional sizes available to SPC13700.

FOR NOTCHED CONSTRUCTION ADD 25% TO LIST PRICE.



Bertolami Transmisiones

Acevedo 1069 (C1414DJU)
Bs. As. - Argentina
Tel. (54) 11-4773-1953 / 4428-2200
Fax. 4778-0315
email: bertrans@arnet.com.ar


Correas

En "V"

Productos y Servicios para la Industria

UniMatch® SP series metric V-belts

Oil and heat-resistant.
Static dissipating.



SPZ Section Metric V-Belts (9.7mm Top Width, 8mm Thick) ALSO AVAILABLE AS XPZ TO XPZ2240

| Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) | Belt No. | List Price | Approx. Weight (lbs) |
|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|----------|------------|----------------------|
| SPZ487 | \$7.65 | .1 | SPZ925 | \$10.35 | .2 | SPZ1312 | \$14.40 | .3 | SPZ1837 | \$22.29 | .4 |
| SPZ512 | 7.65 | .1 | SPZ937 | 10.35 | .2 | SPZ1320 | 14.40 | .3 | SPZ1850 | 22.29 | .4 |
| SPZ562 | 7.65 | .1 | SPZ940 | 10.35 | .2 | SPZ1337 | 15.54 | .3 | SPZ1862 | 22.29 | .4 |
| SPZ587 | 7.65 | .1 | SPZ950 | 10.35 | .2 | SPZ1340 | 15.54 | .3 | SPZ1887 | 22.29 | .4 |
| SPZ607 | 7.65 | .1 | SPZ962 | 11.13 | .2 | SPZ1362 | 15.54 | .3 | SPZ1900 | 22.29 | .4 |
| SPZ612 | 7.65 | .1 | SPZ987 | 11.13 | .2 | SPZ1387 | 15.54 | .3 | SPZ1937 | 23.85 | .4 |
| SPZ630 | 7.65 | .1 | SPZ1000 | 11.13 | .2 | SPZ1400 | 15.54 | .3 | SPZ1987 | 23.85 | .4 |
| SPZ637 | 7.77 | .1 | SPZ1010 | 11.13 | .2 | SPZ1412 | 16.44 | .3 | SPZ2000 | 23.85 | .4 |
| SPZ662 | 7.77 | .1 | SPZ1012 | 11.70 | .2 | SPZ1420 | 16.44 | .3 | SPZ2037 | 25.20 | .4 |
| SPZ670 | 7.77 | .1 | SPZ1024 | 11.70 | .2 | SPZ1437 | 16.44 | .3 | SPZ2062 | 25.20 | .4 |
| SPZ677 | 7.77 | .1 | SPZ1037 | 11.70 | .2 | SPZ1462 | 16.44 | .3 | SPZ2087 | 25.20 | .4 |
| SPZ687 | 7.82 | .1 | SPZ1047 | 11.70 | .2 | SPZ1470 | 16.44 | .3 | SPZ2120 | 25.20 | .4 |
| SPZ710 | 8.22 | .1 | SPZ1060 | 11.70 | .2 | SPZ1487 | 16.44 | .3 | SPZ2137 | 27.00 | .4 |
| SPZ722 | 8.55 | .1 | SPZ1077 | 12.39 | .2 | SPZ1500 | 16.44 | .3 | SPZ2160 | 27.00 | .4 |
| SPZ737 | 8.55 | .1 | SPZ1080 | 12.39 | .2 | SPZ1512 | 17.55 | .3 | SPZ2187 | 27.00 | .4 |
| SPZ750 | 8.55 | .2 | SPZ1087 | 12.39 | .2 | SPZ1520 | 17.55 | .3 | SPZ2240 | 27.00 | .5 |
| SPZ758 | 8.55 | .2 | SPZ1112 | 12.39 | .2 | SPZ1537 | 17.55 | .3 | SPZ2280 | 28.59 | .5 |
| SPZ760 | 8.79 | .2 | SPZ1120 | 12.39 | .2 | SPZ1560 | 17.55 | .3 | SPZ2287 | 28.59 | .5 |
| SPZ762 | 8.79 | .2 | SPZ1137 | 13.29 | .2 | SPZ1562 | 17.55 | .3 | SPZ2360 | 28.59 | .5 |
| SPZ772 | 8.79 | .2 | SPZ1140 | 13.29 | .2 | SPZ1587 | 17.55 | .3 | SPZ2410 | 28.59 | .5 |
| SPZ787 | 8.79 | .2 | SPZ1147 | 13.29 | .2 | SPZ1600 | 17.55 | .3 | SPZ2500 | 31.50 | .5 |
| SPZ800 | 8.79 | .2 | SPZ1162 | 13.29 | .2 | SPZ1612 | 19.35 | .3 | SPZ2650 | 32.85 | .5 |
| SPZ812 | 9.45 | .2 | SPZ1180 | 13.29 | .2 | SPZ1637 | 19.35 | .3 | SPZ2690 | 32.85 | .5 |
| SPZ825 | 9.45 | .2 | SPZ1187 | 13.95 | .2 | SPZ1650 | 19.35 | .3 | SPZ2800 | 35.10 | .6 |
| SPZ837 | 9.45 | .2 | SPZ1200 | 13.95 | .2 | SPZ1662 | 19.35 | .3 | SPZ2840 | 35.10 | .6 |
| SPZ850 | 9.45 | .2 | SPZ1202 | 13.95 | .2 | SPZ1687 | 19.35 | .3 | SPZ2990 | 37.35 | .6 |
| SPZ862 | 9.78 | .2 | SPZ1212 | 13.95 | .2 | SPZ1700 | 19.35 | .3 | SPZ3000 | 37.35 | .6 |
| SPZ875 | 9.78 | .2 | SPZ1237 | 13.95 | .2 | SPZ1737 | 21.39 | .3 | SPZ3150 | 38.25 | .6 |
| SPZ887 | 9.78 | .2 | SPZ1250 | 13.95 | .3 | SPZ1762 | 21.39 | .4 | SPZ3170 | 38.25 | .6 |
| SPZ900 | 9.78 | .2 | SPZ1262 | 14.40 | .3 | SPZ1787 | 21.39 | .4 | SPZ3350 | 40.74 | .6 |
| SPZ912 | 10.35 | .2 | SPZ1270 | 14.40 | .3 | SPZ1800 | 21.39 | .4 | SPZ3550 | 43.20 | .7 |
| SPZ922 | 10.35 | .2 | SPZ1287 | 14.40 | .3 | SPZ1812 | 22.29 | .4 | | | |

Add 13mm to pitch length for outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.




Productos y Servicios para la Industria

Multi-rib V-belts

Where a broad range of drive ratios (up to 40 to1) is required, multi-rib V-belts are often recommended. Belt turnover is eliminated. Additionally, multi-rib V-belts offer greater flexibility than banded V-belts, for smaller pulley diameters and more compact drives. Complete belt rib to pulley groove contact gives more power transmission in less space. Multi-rib V-belts are also available with a urethane construction on special order. For K section automotive and other sizes not listed consult our main office.

These belts conform to RMA Engineering Standard IP-26.

Multi-rib V-belts are specified by the **effective length** in inches multiplied by 10 and the number of ribs. For example: **445J6**.



Special Constructions - Consult Jason for prices

- Additional Cover Rubber (Max. 1/8")
- Ground Top or Ribs (Max. 10" Width)
- Non-Marking

J Section Multi-Rib V-Belts (3/32-inch Rib Width, 5/32-inch Thick)

| Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) |
|------|--------------------|----------------------------|------|--------------------|----------------------------|------|--------------------|----------------------------|------|--------------------|----------------------------|
| 85J | \$2.10 | .004 | 220J | \$.94 | .011 | 400J | \$1.06 | .020 | 550J | \$1.22 | .027 |
| 90J | 2.10 | .004 | 240J | .94 | .012 | 410J | 1.07 | .020 | 560J | 1.24 | .027 |
| 95J | 2.10 | .005 | 260J | .96 | .013 | 420J | 1.08 | .021 | 580J | 1.28 | .028 |
| 100J | 2.10 | .005 | 280J | .96 | .014 | 430J | 1.08 | .021 | 610J | 1.32 | .031 |
| 105J | 2.10 | .005 | 285J | .97 | .014 | 435J | 1.08 | .022 | 650J | 1.38 | .033 |
| 110J | 2.10 | .006 | 290J | .97 | .015 | 440J | 1.09 | .022 | 655J | 1.38 | .033 |
| 120J | 2.10 | .006 | 300J | .98 | .015 | 445J | 1.09 | .022 | 690J | 1.44 | .035 |
| 130J | 2.10 | .006 | 310J | 1.00 | .015 | 450J | 1.09 | .023 | 730J | 1.54 | .037 |
| 140J | 2.10 | .007 | 320J | 1.00 | .016 | 460J | 1.10 | .023 | 750J | 1.54 | .037 |
| 150J | .94 | .007 | 340J | 1.02 | .017 | 480J | 1.12 | .024 | 770J | 1.58 | .038 |
| 160J | .94 | .008 | 360J | 1.02 | .018 | 490J | 1.12 | .025 | 820J | 1.60 | .041 |
| 170J | .94 | .008 | 370J | 1.03 | .018 | 500J | 1.16 | .025 | 870J | 1.62 | .043 |
| 180J | .94 | .009 | 375J | 1.04 | .019 | 505J | 1.16 | .025 | 920J | 1.80 | .046 |
| 190J | .94 | .010 | 380J | 1.04 | .019 | 520J | 1.18 | .026 | 980J | 1.90 | .049 |
| 200J | .94 | .010 | 390J | 1.05 | .019 | 530J | 1.20 | .026 | | | |

Max. no. of Ribs—190

L Section Multi-Rib V-Belts (3/16-inch Rib Width, 3/8-inch Thick)

| Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) |
|------|--------------------|----------------------------|------|--------------------|----------------------------|-------|--------------------|----------------------------|-------|--------------------|----------------------------|
| 375L | \$3.20 | .08 | 675L | \$4.18 | .17 | 915L | \$5.68 | .23 | 1295L | \$13.24 | .32 |
| 390L | 3.20 | .09 | 695L | 4.28 | .17 | 930L | 5.88 | .23 | 1310L | 13.70 | .33 |
| 425L | 3.40 | .10 | 710L | 4.36 | .18 | 975L | 6.30 | .24 | 1375L | 17.20 | .34 |
| 500L | 3.44 | .12 | 725L | 4.40 | .18 | 990L | 6.46 | .25 | 1455L | 18.20 | .36 |
| 525L | 3.55 | .13 | 765L | 4.58 | .19 | 1065L | 7.24 | .26 | 1595L | 19.40 | .40 |
| 540L | 3.60 | .13 | 780L | 4.64 | .19 | 1080L | 7.68 | .27 | 1650L | 20.60 | .42 |
| 550L | 3.70 | .13 | 795L | 4.70 | .19 | 1120L | 7.80 | .28 | 1700L | 21.20 | .43 |
| 560L | 3.80 | .14 | 815L | 4.80 | .20 | 1140L | 8.20 | .29 | 1760L | 21.98 | .44 |
| 595L | 3.88 | .14 | 825L | 4.85 | .21 | 1150L | 8.72 | .29 | 1820L | 22.80 | .46 |
| 615L | 3.92 | .14 | 840L | 4.90 | .21 | 1180L | 9.40 | .30 | 1910L | 24.00 | .48 |
| 635L | 4.00 | .15 | 865L | 5.16 | .22 | 1215L | 10.74 | .30 | 1980L | 24.20 | .50 |
| 655L | 4.10 | .16 | 880L | 5.38 | .22 | 1230L | 11.84 | .31 | 2120L | 26.50 | .53 |
| | | | | | | | | | 2400L | 30.00 | .60 |

Max. no. of Ribs—100

M Section Multi-Rib V-Belts (3/8-inch Rib Width, 21/32-inch Thick)

| Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) | Size | List Price Per Rib | Approx. Wgt. per Rib (lbs) |
|-------|--------------------|----------------------------|-------|--------------------|----------------------------|-------|--------------------|----------------------------|-------|--------------------|----------------------------|
| 900M | \$25.70 | .80 | 1310M | \$34.46 | 1.17 | 1980M | \$46.32 | 1.76 | 3610M | \$76.64 | 3.22 |
| 940M | 26.54 | .84 | 1390M | 36.10 | 1.24 | 2130M | 48.82 | 1.90 | 3910M | 82.76 | 3.48 |
| 990M | 27.60 | .88 | 1470M | 37.80 | 1.31 | 2410M | 53.50 | 2.15 | 4210M | 88.55 | 3.76 |
| 1060M | 29.10 | .94 | 1550M | 38.90 | 1.40 | 2560M | 56.40 | 2.30 | 4540M | 94.70 | 3.93 |
| 1115M | 30.26 | .99 | 1610M | 40.14 | 1.43 | 2710M | 59.28 | 2.42 | 4810M | 99.80 | 4.29 |
| 1150M | 31.00 | 1.02 | 1650M | 40.80 | 1.47 | 3010M | 65.06 | 2.68 | 5410M | 111.80 | 4.82 |
| 1185M | 31.74 | 1.06 | 1760M | 42.64 | 1.57 | 3310M | 70.86 | 2.95 | 6010M | 124.00 | 5.36 |
| 1230M | 32.70 | 1.10 | 1830M | 43.82 | 1.63 | | | | | | |

Max. no. of Ribs—48